

Los Angeles County
Board of Supervisors

March 24, 2022

Hilda L. Solis
First District

Mark Ridley-Thomas
Second District

Sheila Kuehl
Third District

Janice Hahn
Fourth District

Kathryn Barger
Fifth District

**REQUEST FOR STATEMENT OF ANCILLARY SERVICES
QUALIFICATIONS
FOR
TELERRADIOLOGY SERVICES
(HS-1128)
ADDENDUM NO. 7**

Christina R. Ghaly, M.D.
Director

Hal F. Yee, Jr., M.D., Ph.D.
Chief Deputy Director, Clinical Affairs

Nina J. Park, M.D.
Chief Deputy Director, Population Health

This Addendum No. 7 ("Addendum") to the Request for Statement of Ancillary Services Qualifications ("RSASQ" or "HS-1128") for Teleradiology Services ("Services") is issued by the County of Los Angeles ("County") through its Department of Health Services ("DHS") and posted on the DHS Contracts and Grants ("C&G") website at <http://dhs.lacounty.gov/wps/portal/dhs/cg/>. The purpose of this Addendum is to provide the County's responses to questions received from Respondents.

Unless defined in the Addendum, any term with the initial letter capitalized shall have the meaning given to such term in the RSASQ. The RSASQ is amended as provided on the following pages.

Contracts & Grants Division
313 N. Figueroa Street
6th Floor East
Los Angeles, CA 90012

Tel: (213) 288-7819
Fax: (213) 250-2958

www.dhs.lacounty.gov

*"To advance the health of our
patients and our communities by
providing extraordinary care"*



**REQUEST FOR STATEMENT OF ANCILLARY SERVICES QUALIFICATIONS
FOR
TELERADIOLOGY SERVICES
(HS-1128)
ADDENDUM NO. 7
COUNTY'S RESPONSES TO WRITTEN QUESTIONS**

Below is a table containing the County's responses to questions received regarding the RSASQ.

Ref. No.	Vendor's Question	County's Response																																
1.	A. What are the teleradiology services for what modalities?	Please see County's response to question 1.C in RSASQ Addendum No. 4.																																
1.	B. Is this teleradiology only or will you require radiologists on site?	The County is only seeking Teleradiology Services in response to this solicitation.																																
1.	C. What is the volume per day/week/month?	Please see County's response to question 1.A and 1.C in RSASQ Addendum No. 4.																																
1.	D. Please provide the equipment, make model	The County utilizes the following imaging equipment at each respective facility to perform CT Scans and Ultrasounds: Harbor/UCLA Medical Center uses: <table><tr><th colspan="2">CT</th></tr><tr><th>Make</th><th>Model #</th></tr><tr><td>CANON</td><td>Aquilion Premium 160</td></tr><tr><td>CANON</td><td>Aquilion Prime 80</td></tr><tr><td>SIEMENS</td><td>Somatom Sensation 64</td></tr></table> <table><tr><th colspan="2">Ultrasound</th></tr><tr><th>Make</th><th>Model #</th></tr><tr><td>GE</td><td>LOGIQ E9</td></tr><tr><td>Canon</td><td>UFIR AI800</td></tr><tr><td>Canon</td><td>UFIR AI900</td></tr><tr><td>Philips</td><td>US715C0160/1</td></tr></table> <table><tr><th colspan="2">MRI</th></tr><tr><th>Make</th><th>Model #</th></tr><tr><td>GE</td><td>Signa HDxt 1.5T</td></tr><tr><td>GE</td><td>Discovery MR750</td></tr><tr><td>Siemens</td><td>Avanto – 1.5T</td></tr></table>	CT		Make	Model #	CANON	Aquilion Premium 160	CANON	Aquilion Prime 80	SIEMENS	Somatom Sensation 64	Ultrasound		Make	Model #	GE	LOGIQ E9	Canon	UFIR AI800	Canon	UFIR AI900	Philips	US715C0160/1	MRI		Make	Model #	GE	Signa HDxt 1.5T	GE	Discovery MR750	Siemens	Avanto – 1.5T
CT																																		
Make	Model #																																	
CANON	Aquilion Premium 160																																	
CANON	Aquilion Prime 80																																	
SIEMENS	Somatom Sensation 64																																	
Ultrasound																																		
Make	Model #																																	
GE	LOGIQ E9																																	
Canon	UFIR AI800																																	
Canon	UFIR AI900																																	
Philips	US715C0160/1																																	
MRI																																		
Make	Model #																																	
GE	Signa HDxt 1.5T																																	
GE	Discovery MR750																																	
Siemens	Avanto – 1.5T																																	

**REQUEST FOR STATEMENT OF ANCILLARY SERVICES QUALIFICATIONS
FOR
TELERADIOLOGY SERVICES
(HS-1128)
ADDENDUM NO. 7
COUNTY'S RESPONSES TO WRITTEN QUESTIONS**

Ref. No.	Vendor's Question	County's Response																																																		
		LAC+USC Medical Center uses: <table><tr><th colspan="2">CT</th></tr><tr><th>Make</th><th>Model #</th></tr><tr><td>Toshiba</td><td>Aquilion AQ32</td></tr><tr><td>Toshiba</td><td>Aquilion AQ64</td></tr></table> <table><tr><th colspan="2">Ultrasound</th></tr><tr><th>Make</th><th>Model #</th></tr><tr><td>Canon</td><td>Aplio i800</td></tr><tr><td>GE</td><td>Logiq E9</td></tr></table> <table><tr><th colspan="2">MRI</th></tr><tr><th>Make</th><th>Model #</th></tr><tr><td>GE</td><td>Signa Explorer - 1.5T</td></tr></table> Olive View/UCLA Medical Center uses: <table><tr><th colspan="2">CT</th></tr><tr><th>Make</th><th>Model #</th></tr><tr><td>Siemens</td><td>Definition Flash 10430603</td></tr><tr><td>Siemens</td><td>Somatom Sensation 8377520</td></tr><tr><td>Siemens</td><td>Somatom Definition 7740769</td></tr></table> <table><tr><th colspan="2">Ultrasound</th></tr><tr><th>Make</th><th>Model #</th></tr><tr><td>Toshiba</td><td>APLIO-1800.000</td></tr><tr><td>Toshiba</td><td>APLIO-1800/2.000</td></tr><tr><td>Toshiba</td><td>APLIO-1800-.000</td></tr></table> <table><tr><th colspan="2">MRI</th></tr><tr><th>Make</th><th>Model #</th></tr><tr><td>Siemens</td><td>Avanto – 1.5T</td></tr><tr><td>GE</td><td>Signa HDxt - 1.5T</td></tr></table>	CT		Make	Model #	Toshiba	Aquilion AQ32	Toshiba	Aquilion AQ64	Ultrasound		Make	Model #	Canon	Aplio i800	GE	Logiq E9	MRI		Make	Model #	GE	Signa Explorer - 1.5T	CT		Make	Model #	Siemens	Definition Flash 10430603	Siemens	Somatom Sensation 8377520	Siemens	Somatom Definition 7740769	Ultrasound		Make	Model #	Toshiba	APLIO-1800.000	Toshiba	APLIO-1800/2.000	Toshiba	APLIO-1800-.000	MRI		Make	Model #	Siemens	Avanto – 1.5T	GE	Signa HDxt - 1.5T
CT																																																				
Make	Model #																																																			
Toshiba	Aquilion AQ32																																																			
Toshiba	Aquilion AQ64																																																			
Ultrasound																																																				
Make	Model #																																																			
Canon	Aplio i800																																																			
GE	Logiq E9																																																			
MRI																																																				
Make	Model #																																																			
GE	Signa Explorer - 1.5T																																																			
CT																																																				
Make	Model #																																																			
Siemens	Definition Flash 10430603																																																			
Siemens	Somatom Sensation 8377520																																																			
Siemens	Somatom Definition 7740769																																																			
Ultrasound																																																				
Make	Model #																																																			
Toshiba	APLIO-1800.000																																																			
Toshiba	APLIO-1800/2.000																																																			
Toshiba	APLIO-1800-.000																																																			
MRI																																																				
Make	Model #																																																			
Siemens	Avanto – 1.5T																																																			
GE	Signa HDxt - 1.5T																																																			

**REQUEST FOR STATEMENT OF ANCILLARY SERVICES QUALIFICATIONS
FOR
TELERADIOLOGY SERVICES
(HS-1128)
ADDENDUM NO. 7
COUNTY'S RESPONSES TO WRITTEN QUESTIONS**

Ref. No.	Vendor's Question	County's Response																																												
		Rancho Los Amigos National Rehabilitation Center uses: <table><tr><th colspan="2">CT</th></tr><tr><th>Make</th><th>Model #</th></tr><tr><td>GE/EVO</td><td>Revolution 64 Slice</td></tr></table> <table><tr><th colspan="2">Ultrasound</th></tr><tr><th>Make</th><th>Model #</th></tr><tr><td>Canon</td><td>Aplio i800</td></tr><tr><td>GE</td><td>LogiQ E9</td></tr></table> <table><tr><th colspan="2">MRI</th></tr><tr><th>Make</th><th>Model #</th></tr><tr><td>Siemens</td><td>AERA – T1.5</td></tr></table> Martin Luther King Outpatient Center uses: <table><tr><th colspan="2">CT</th></tr><tr><th>Make</th><th>Model #</th></tr><tr><td>Siemens</td><td>Somatom Prerspective 10495243</td></tr></table> <table><tr><th colspan="2">Ultrasound</th></tr><tr><th>Make</th><th>Model #</th></tr><tr><td>Cannon</td><td>Aplio i800</td></tr><tr><td>Philips</td><td>iE33</td></tr><tr><td>Philips</td><td>iU22</td></tr><tr><td>Philips</td><td>EPIQ5G</td></tr></table> <table><tr><th colspan="2">MRI</th></tr><tr><th>Make</th><th>Model #</th></tr><tr><td>GE</td><td>Signa HDxt - 1.5T</td></tr></table>	CT		Make	Model #	GE/EVO	Revolution 64 Slice	Ultrasound		Make	Model #	Canon	Aplio i800	GE	LogiQ E9	MRI		Make	Model #	Siemens	AERA – T1.5	CT		Make	Model #	Siemens	Somatom Prerspective 10495243	Ultrasound		Make	Model #	Cannon	Aplio i800	Philips	iE33	Philips	iU22	Philips	EPIQ5G	MRI		Make	Model #	GE	Signa HDxt - 1.5T
CT																																														
Make	Model #																																													
GE/EVO	Revolution 64 Slice																																													
Ultrasound																																														
Make	Model #																																													
Canon	Aplio i800																																													
GE	LogiQ E9																																													
MRI																																														
Make	Model #																																													
Siemens	AERA – T1.5																																													
CT																																														
Make	Model #																																													
Siemens	Somatom Prerspective 10495243																																													
Ultrasound																																														
Make	Model #																																													
Cannon	Aplio i800																																													
Philips	iE33																																													
Philips	iU22																																													
Philips	EPIQ5G																																													
MRI																																														
Make	Model #																																													
GE	Signa HDxt - 1.5T																																													
1.	E. What is the time of day professional services are being requested?	Please see County's response to question 1.E in RSASQ Addendum No. 4.																																												
1.	F. Normal business hours, evenings, weekends?	Please see County's response to question 1.E in RSASO Addendum No. 4.																																												

**REQUEST FOR STATEMENT OF ANCILLARY SERVICES QUALIFICATIONS
FOR
TELERADIOLOGY SERVICES
(HS-1128)
ADDENDUM NO. 7
COUNTY'S RESPONSES TO WRITTEN QUESTIONS**

Ref. No.	Vendor's Question	County's Response
1.	G. Is this for all county hospitals or outpatient radiology sites?	Please see County's response to question 1.D in RSASQ Addendum No. 4.
1.	H. What is the timeframe teleradiology services are being requested?	Please see County's response to question 1.F in RSASQ Addendum No. 4.
1.	I. IT-what pac system does the county utilize? We own our Pacs Erad.	Please see County's response to question 3.P in RSASQ Addendum No. 4.
1.	J. Billing- will you require HCFA claim for professional services or monthly invoice?	The County anticipates receiving a monthly invoice for the services provided.
2.	A. Can we obtain updated volumes data from the last 12 months to accurately generating a coverage model?	Please refer to County's responses to Questions 1.A., 1.C., 3.G., 3.H., and Appendix H and Appendix I in RSASQ Addendum No. 4.
2.	B. Is your intent to contract with just one provider or multiple for the teleradiology volume? If multiple, how would the work be distributed? Will the volumes be scheduled ahead of time?	Please refer to County's responses to Questions 3.C. 3D., and 3.E. in RSASQ Addendum No. 4.
2.	C. How will the contractor quickly access contact information for referring physicians if there is a need to call in critical results?	Please refer to County's responses to Question 3.J. in RSASQ Addendum No. 4.
2.	D. Will the contractor be able to access images and reports from prior studies? How?	Please refer to County's responses to Question 3.K. in RSASQ Addendum No. 4.
2.	E. Will the contractor be able to access technologist notes for Ultrasound and CT? How?	Please refer to County's responses to Questions 3.K. and 3.L. in RSASQ Addendum No. 4.
2.	F. Can you provide data on the time distribution for these exams, including time of day and day of week?	Please refer to County's responses to Question 1.E. in RSASQ Addendum No. 4.
2.	G. Can you provide data on the distribution of studies across sites of care (ie, OP, ED, IP, ICU)?	Please refer to County's responses to Questions 1.C. and 3.M. in RSASQ Addendum No. 4.

**REQUEST FOR STATEMENT OF ANCILLARY SERVICES QUALIFICATIONS
FOR
TELERADIOLOGY SERVICES
(HS-1128)
ADDENDUM NO. 7
COUNTY'S RESPONSES TO WRITTEN QUESTIONS**

Ref. No.	Vendor's Question	County's Response
2.	H. What PACS and EMR/RIS do your hospitals and clinics currently use? What voice recognition system(s) do your radiologists use?	Please refer to County's responses to Question 3.P. in RSASQ Addendum No. 4.